SDS Revision Date: 09/29/2015

1. Identification

1.1. Product identifier

Product Identity WOODWISE No Shrink Patch-Quick (Dry)

Alternate Names No Shrink Patch-Quick

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Water-based mixture of filler compounds & colors used

as a crack and defect filler for hardwood flooring.

1.3. Details of the supplier of the safety data sheet

Company Name Design Hardwood Products, Inc.

15060 N.E. 95th St. Redmond, WA 98052

Emergency Telephone No. 425-869-0859 (during business hours)

Customer Service: Design Hardwood Products, Inc. 425-869-0859

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Carc. 1A;H350 May cause cancer.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H350 May cause cancer.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

[Response]:

P308+313 IF exposed or concerned: Get medical advice / attention.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

09/29/2015 **SDS Revision Date:**

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Calcium carbonate CAS Number: 1317-65-3	50 - 75	Not Classified	[1][2]
Quartz – Total (naturally occurring component of limestone) CAS Number: 14808-60-7	0.10 - 0.6	Acute Tox. 4;H332 STOT RE 2;H373 Carc. 1A:H350	[1][2]
Quartz – Respirable (naturally occurring component of limestone) CAS Number: 14808-60-7	0.10 - 0.20	,	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

In all cases of doubt, or when symptoms persist, seek medical attention. General

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

If contact with eyes, immediately flush eyes with plenty of water. Do not rub or scratch your **Eyes**

eves. Get medical attention if irritation occurs.

Skin Wash skin immediately with soap and water. If irritation persists, get medical attention. If swallowed, give victim several glasses of water. Get medical attention if symptoms Ingestion

occur.

4.2. Most important symptoms and effects, both acute and delayed

Overview This product is not expected to produce any unusual hazards during normal use.

Potential Health Effects Acute

Inhalation: Exposure to high dust levels may irritate eyes, skin, nose, throat, or upper respiratory tract. This product contains quartz (crystalline silica) as a naturally occurring contaminant. Exposure to high dust levels may result in coughing, sneezing and nasal irritation. If respiratory symptoms persist, contact physician.

Eye Contact: Dust can cause temporary mechanical irritation of eyes. If burning, redness, itching, pain or other symptoms persist or develop, consult physician.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

See section 2 for further details.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date: 09/29/2015

5. Fire-fighting measures

5.1. Extinguishing media

Water-spray jet, water-mist, carbon dioxide, dry chemical or foam-type extinguishing media

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Above 1450°C, decomposes to form calcium oxide (CaO)

5.3. Advice for fire-fighters

Unsuitable Extinguishing Media: Sharp water jet

Dust may form explosive mixture with air. Electrostatic charging is possible.

Firefighters should wear full protective clothing including self-contained breathing apparatus.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protection. Eliminate all sources of ignition. Observe notes under Section 7.

Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Cover any spilled material in accordance with regulations to prevent dispersal by wind.

Sweep up residues. Reuse if acceptable. Dispose of according to local/state/federal regulations.

7. Handling and storage

7.1. Precautions for safe handling

Avoid dust formation. Dust may form explosive mixture with air.

There is increased danger of slipping if substance comes into contact with water.

Avoid dust deposit; remove dust regularly. Take precautionary measures against electrostatic charging.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

SDS Revision Date: 09/29/2015

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0001317-65-3	Calcium carbonate	OSHA	TWA 15 mg/m³ (total) TWA 5 mg/m³ (resp)
		ACGIH	TWA: 10 mg/m³ Ceiling: 20 mg/m³
		NIOSH	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
		Supplier	No Established Limit
0014808-60-7	Quartz	OSHA	No Established Limit
	ACGIH	TWA: 0.025 mg/m ³ A1, 1	
	NIOSH	0.05 mg/m³ TWA (respirable)	
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Carcinogen Data

CAS No.	Ingredient	Source	Value	
0001317-65-3	Calcium carbonate	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0014808-60-7	Quartz	OSHA	HA Select Carcinogen: No	
		NTP	Known: Yes; Suspected: No	
	IARC Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group		Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls

Respiratory A NIOSH approved air purifying respirator fitted with at least P-99 solid/aerosol particulate

filters is recommended if overexposure to dust or aerosol mist could occur.

Eyes Wear safety glasses or chemical goggles to avoid eye contact.

Skin Wear protective clothing to cover exposed areas of arms, legs and torso. In case of dust

formation, wear antistatic clothing and shoes. Wear neoprene or nitrile rubber gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Provide eye bath and safety shower. Use good personal hygiene practices. Wash hands

before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details. - [Prevention]:

SDS Revision Date: 09/29/2015

9. Physical and chemical properties

Appearance White Powder Odor Odorless

Odor threshold Not determined

pH 6.0

Melting point / freezing pointNot MeasuredInitial boiling point and boiling rangeNot MeasuredFlash PointNot ApplicableEvaporation rate (Ether = 1)Not MeasuredFlammability (solid, gas)Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Applicable

Upper Explosive Limit: Not Applicable

Vapor pressure (Pa) Not Applicable **Vapor Density** Not Measured **Specific Gravity** Not Measured Solubility in Water Insoluble Partition coefficient n-octanol/water (Log Kow) Not Measured **Auto-ignition temperature** Not Applicable **Decomposition temperature** No data at hand Viscosity (cSt) Not Applicable

VOC Content None
Bulk Density 2.5

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Above 1450°C, decomposes to form calcium oxide (CaO)

SDS Revision Date: 09/29/2015

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Calcium carbonate - (1317-65-3)	No data available	No data available	No data available	No data available	No data available
Quartz - (14808-60-7)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity	1A	May cause cancer.
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Calcium carbonate - (1317-65-3)	Not Available	Not Available	Not Available
Quartz - (14808-60-7)	Not Available	Not Available	Not Available

09/29/2015 **SDS Revision Date:**

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) **Transportation**)

14.1. UN number Not Applicable Not Regulated Not Regulated Not Regulated

14.2. UN proper shipping Not Regulated Not Regulated name

14.3. Transport hazard **DOT Hazard Class: Not IMDG:** Not Applicable Air Class: Not Applicable

Sub Class: Not Applicable class(es) Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. WHMIS Classification D2A

US EPA Tier II Hazards

Fire: No Sudden Release of Pressure: No

Reactive: No

SDS Revision Date: 09/29/2015

Immediate (Acute): No Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Quartz

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Calcium carbonate

Pennsylvania RTK Substances (>1%):

Calcium carbonate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H332 Harmful if inhaled.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

This Safety Data Sheet (SDS) meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee expressed or implied, is made as to its accuracy, reliability or completeness. It's the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses, which infringe valid patents, or as extending a license under valid patents. This SDS provides selected regulatory information on this product, including its components. This is not intended to include all regulations. It's the responsibility of the user to know and

SDS Revision Date: 09/29/2015

comply with all applicable rules, regulations and laws relating to the product being used.

End of Document